

CATEGORY:

# **CLEARED**

60 Rec'd PCT/PTO 09 NOV 2000

**FORM PTO-1390** (REV 5-93)

#### U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371

ATTORNEY DOCKET NO. P107314-00016

DATE: November 9, 2000

U.S. APPLN. NO.

(IF KNOWN, SEE 37 CFR 1.5)

INTERNATIONAL APPLICATION NO. PCT/JP00/01365\_\_

INTERNATIONAL FILING DATE March 7, 2000 \_\_\_

PRIORITY DATE CLAIMED March 9, 1999 ~

TITLE OF INVENTION: CAMERA SIGNAL PROCESSOR AND CAMERA SIGNAL PROCESSING METHOD

APPLICANT(S) FOR DO/EO/US: Yukio MORI; Seiji OKADA; Shoichi HASEGAWA 🔑

- 1. XX This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. (THE BASIC FILING FEE IS ATTACHED)
- 2. \_\_ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
- 3. XX This express request to begin national examination procedures (35 U.S.C. 371(f) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT articles 22 and 39(1).
- 4. \_\_ A proper demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.
- 5. XX A copy of the International Application as filed (35 U.S.C. 371(c)(2))
  - is transmitted herewith (required only if not transmitted by the International Bureau).
  - b.  $\overline{XX}$  has been transmitted by the International Bureau.
  - c. \_\_ is not required, as the application was filed in the United States Receiving Office (RO/US)
- 6. XX A translation of the International Application into English (35 U.S.C. 371(c)(2)).
- Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
  - a. \_\_ are transmitted herewith (required only if not transmitted by the International Bureau).
  - b. \_\_ have been transmitted by the International Bureau.
  - c. \_\_ have not been made; however, the time limit for making such amendments has NOT expired.
  - d. \_\_ have not been made and will not be made.
- 8. \_\_ A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- 9. XX An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
- 10. \_\_ A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). (Amendment Under Article 34)

Items 11. to 16. below concern other document(s) or information included:

- 11. XX An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
- 12. XX An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
- 13. \_\_ A FIRST preliminary amendment.
  - A SECOND or SUBSEQUENT preliminary amendment.
- 14. \_\_ A substitute specification.
- 15. \_\_ A change of power of attorney and/or address letter.
- 16. XX Other items or information:

Check No. 304617

Drawing(s) 3 sheets

International Search Report

Notification of Receipt of Record Copy (PCT/IB/301)

Notification Concerning Submission of Priority Documents (PCT/IB/304)

Notice Informing the Applicant of the Communication of the International

Application to the Designated Offices (PCT/IB/308) Front Page of International Bulletin No. WO00/54508

ij

Ħ

## 428 Rec'd PCT/PTO 0.9 NOV 2000

U.S. APPLN. NO. (IF KNO	OWN, SEE 37	INTERNATIONAL APPLICATION		ATTORNEY DOCKET NO. P107314-00016		
C.F.R. 1.50 0 9 / 6 7 4 4 8 9 NO. PCT/JP00/01365		1365	DATE: November 9, 2000			
17. XX The following fees a Basic National Fee (37 CF Search Report has been produced international preliminary exponentiational preliminary international search fee paid Neither international preliminary fee (37 CFR 1.445(a International preliminary exposed in the provisions of the search fee (37 CFR 1.445(a International preliminary exposed in the provisions of the search fee (37 CFR 1.445(a International preliminary exposed in the provisions of the search fee (37 CFR 1.445(a International preliminary exposed in the provisions of the search feet (37 CFR 1.445(a International preliminary exposed in the provisions of the search feet (37 CFR 1.445(a International preliminary exposed in the provisions of the search feet (37 CFR 1.445(a International preliminary exposed in the provisions of the search feet (37 CFR 1.445(a International preliminary exposed in the provisional preliminary exposed in the prov	FR 1.492(a)(1)-(5): epared by the EPO of amination fee paid to examination fee pa d to USPTO (37 CFI nary examination fee paid to USPTO (amination fee paid to US	CALCULATIONS PTO USE ONLY				
ENTER APP	ROPRIATE BASIC	\$ 860.00				
Surcharge of \$130.00 for furnishing the oath or declaration later than _ 20 _ 30 months from the earliest claimed priority date (37 CFR 1.492(e)).						
Claims	Number Filed	Number Extra	Rate			
Total Claims	8 - 20 =	0	X \$ 18.00			
Independent Claims	2-3=	0	X \$ 80.00			
Multiple dependent claim(s)	(if applicable)		+ \$270.00	270.00		
тс	OTAL OF ABOVE C	\$ 1130.00				
Reduction by 1/2 for filing by Verified Small Entity statem (Note 37 CFR 1.9, 1.27, 1.2	ent must also be file					
		\$ 1130.00				
Processing fee of \$130.00 for months from the earliest cla	or furnishing the Eng imed priority date (3	glish translation later 7 CFR 1.492(f)).	the _ 20 _ 30 +			
		\$ 1130.00				
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property				\$ 40.00		
		\$ 1170.00				
				Amount to be refunded	\$	
				Charged	\$	

a. XX A check in the amount of \$ 1170.00 to cover the above fees is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Arent Fox Kintner Plotkin & Kahn, PLLC 1050 Connecticut Avenue, N.W., Suite 600 Washington, D.C. 20036-5339 Telephone No. (202) 857-6000 Facsimile No. (202) 638-4810

George E. Oram, Jr. Reg. No. 27,931

b. \_\_ Please charge my Deposit Account No. <u>01-2300</u> in the amount of \$\_\_\_\_ to cover the above fees. A duplicate copy of this sheet is enclosed.

c. XX The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. <u>01-2300</u>.

3/beys.

09/674489 V 428 Beck PCT/PTO 09 NOV 2000

DESCRIPTION

CAMERA SIGNAL PROCESSOR AND

CAMERA SIGNAL PROCESSING METHOD

Technical Field

The present invention relates to a camera signal processor for detecting the motion of an image and processing a camera signal depending on the detected motion of the image and a camera signal processing method.

Background Art

JP-A-8-125910 discloses a camera pursuing a subject. That is, the color of the subject is previously registered in the camera. When the registered color appears in an image picked up by the camera, the initial position of the subject is detected from information relating to the color. Thereafter, a motion vector of the subject is detected, to control the direction of the camera such that the subject is pursued depending on the detected motion vector.

In the camera, the color of the subject must be previously specified in order to detect the subject. In a system for imaging an unspecified subject, for example, a monitoring system using a monitoring camera, it is difficult to detect the subject in the

same method as that in the above-mentioned camera.

An object of the present invention is to provide a camera signal processor capable of detecting, even when the color of a subject is not previously specified, the subject and enlarging and displaying the subject and a camera signal processing method. Disclosure of Invention

A camera signal processor according to the present invention is characterized by comprising motion detection means for dividing an image picked up by imaging means into a plurality of motion detection areas, and detecting the motion of the image for each of the motion detection areas; extracting means for extracting, on the basis of the motion of the image for each of the motion detection areas which has been detected by the motion detection means, the motion detection area where an object making abnormal motion exists; and image enlarging means for enlarging the image picked up by the imaging means, centered on the motion detection area where an object making abnormal motion exists which has been extracted by the extracting means and displaying the enlarged image on a display device.

An example of the extracting means is one for extracting, out of the motion detection areas, the

motion detection area where the motion of the image which has been detected by the motion detection means coincides with an abnormal motion pattern previously set as an area where an object making abnormal motion exists.

An example of the image enlarging means is one comprising group forming means for grouping, out of the motion detection areas where an object making abnormal motion exists which have been extracted by the extracting means, the areas where an object making abnormal motion exists such that the areas connected to each other form one group, center-of-gravity detecting means for extracting, out of groups formed by the group forming means, the group having the largest area, and finding the center of gravity of the extracted group, and scaling-up means for scaling up the image picked up by the imaging means, centered on the center of gravity found by the center-of-gravity detecting means, and displaying the scaled-up image on a display device.

A camera signal processing method according to the present invention is characterized by comprising the first step of dividing an image picked up by imaging means into a plurality of motion detection areas, and detecting the motion of the image for each

of the motion detection areas; the second step of extracting, on the basis of the motion of the image for each of the motion detection areas which has been detected at the first step, the motion detection area where an object making abnormal motion exists; and the third step of enlarging the image picked up by the imaging means, centered on the motion detection area where an object making abnormal motion exists which has been extracted at the second step and displaying the enlarged image on a display device.

An example of the second step is one comprising the step of extracting, out of the motion detection areas, the motion detection area where the motion of the image which has been detected at the first step coincides with an abnormal motion pattern previously set as an area where an object making abnormal motion exists.

An example of the third step is one comprising the fourth step of grouping, out of the motion detection areas where an object making abnormal motion exists which have been extracted at the second step, the areas where an object making abnormal motion exists such that the areas connected to each other form one group, the fifth step of extracting, out of groups formed at the fourth step, the group

having the largest area, and finding the center of gravity of the extracted group, and the sixth step of scaling up the image picked up by the imaging means, centered on the center of gravity found at the fifth step, and displaying the scaled-up image on a display device.

Brief Description of Drawings

Fig. 1 is a block diagram showing the configuration of a monitoring system.

Fig. 2 is a flow chart showing the operation of the monitoring system.

Fig. 3 is a schematic view showing a motion detection area.

Best Mode for Carrying out the Invention

Referring now to the drawings, an embodiment in a case where the present invention is applied to a monitoring system will be described.

Fig. 1 illustrates the configuration of the monitoring system.

The monitoring system comprises a video camera (a monitoring camera) 1 for imaging a subject, a camera signal processor 2 for processing an image signal (a camera signal) X outputted from the monitoring camera 1, and a display device 3 for displaying the image signal outputted from the

camera signal processor 2.

The monitoring camera 1 comprises a CCD 11, a correlation double sampling section (CDS) 12, an automatic gain control section (AGC) 13, and an analog-to-digital converting section (ADC) 14.

The image signal obtained by the CCD 11 is outputted through the correlation double sampling section (CDS) 12, the automatic gain control section (AGC) 13, and the analog-to-digital converting section (ADC) 14.

The camera signal processor 2 comprises a memory 21, motion detection means 22, abnormality detecting means 23, and image enlarging means 24.

The camera signal outputted from the monitoring camera 1 is fed to the memory 21 and is fed to the motion detection means 22. An image signal corresponding to one field is stored in the memory 21. The motion detection means 22 divides a screen corresponding to one field into 36 areas, for example, as shown in Fig. 3, and compares the screen with a screen corresponding to a field which is an arbitrary number of fields ahead of the one field for each of the areas (motion detection areas), to detect a motion vector for the motion detection area.

The abnormality detecting means 23 detects, on

the basis of the motion vector for each of the motion detection areas which has been detected by the motion detection means 22, the motion detection area where an object making abnormal motion exists. The image enlarging means 24 enlarges the detected motion detection area where an object making abnormal motion exists which has been detected by the abnormality detecting means 23, to output the enlarged motion detection area as an image signal Y.

The abnormality detecting means 23 comprises a setting section 23a for previously setting an abnormal motion pattern in order to detect a motion detection area where an object making abnormal motion exists, and an abnormality presence/absence judging section 23b for judging whether or not there is a motion detection area where an object making abnormal motion exists within the screen corresponding to one field.

Specifically, the abnormal motion pattern is set in the setting section 23a by a motion component in the X direction and a motion component in the Y direction such that the horizontal motion component is m and the vertical motion component is n. In a case where the horizontal motion component is set

to 1, and the vertical motion component is set to 0, when a motion vector whose horizontal component is one or more is detected irrespective of whether it is moved in a horizontal direction or an oblique direction, it is judged that the motion detection area where the motion vector is detected is an area where an object making abnormal motion exists. In a case where both the horizontal motion component and the vertical motion component are set to 0, when a motion vector whose component is not less than zero is detected, it is judged that the motion detection area where the motion vector is detected is an area where an object making abnormal motion exists.

A normal motion pattern may be set in the setting section 23a. In this case, the motion detection area where the detected motion vector does not correspond to the normal motion pattern may be detected as a motion detection area where an object making abnormal motion exists.

The image enlarging means 24 comprises a group forming section 24a, a center-of-gravity detecting section 24b, a scaling-up section 24c, a center-of-gravity moving section 24d, a scaling-up releasing section 24e, and an output section 24f.

The group forming section 24a groups, out of the

motion detection areas where an object making abnormal motion exists which have been detected by the abnormality detecting means 23, the motion detection areas where an object making abnormal motion exists such that the motion detection areas connected to each other form one group.

The center-of-gravity detecting section 24b extracts the group having the largest area out of the plurality of groups formed by the group forming section 24a, to find the center of gravity of the group by performing an operation.

The scaling-up section 24c scales up a part of an image corresponding to one frame obtained from the monitoring camera 1, centered on the center of gravity found by the center-of-gravity detecting section 24b.

The center-of-gravity moving section 24d follows, when the center of gravity detected by the center-of-gravity detecting section 24b is moved in a state where a part of the image is scaled up by the scaling-up section 24c, the motion, to move the center of the enlarged image.

The scaling-up releasing section 24e releases the image scaling-up processing by the scaling-up section 24c when the abnormality presence/absence

judging section 23b in the abnormality detecting means 23 judges that there is no area where an object making abnormal motion exists.

The output section 24f outputs as an image signal Y the image data corresponding to one field stored in the memory 21 or data representing the image scaled up by the scaling-up section 24c.

Fig. 2 shows the operation of the monitoring system.

An image corresponding to one field is first picked up by the monitoring camera 1 (step 1). The image corresponding to one field which has been picked up by the monitoring camera 1 is stored in the memory 21 in the camera signal processor 2 and is fed to the motion detection means 22.

The motion detection means 22 then compares the fed image with an image inputted an arbitrary number of fields ahead of the image, to detect a motion vector for each of the motion detection areas shown in Fig. 3 (step 2).

The abnormality detecting means 23 then extracts the motion detection area where an object making abnormal motion exists on the basis of the motion vector for each of the motion detection areas which has been detected at the step 2 (step 3).

Specifically, it is judged whether or not any of the motion vectors detected for the motion detection areas correspond to the abnormal motion pattern set in the setting section 23a, and extracts, if any one of the motion vectors corresponds to the abnormal motion pattern, the motion detection area as an area where an object making abnormal motion exists.

The motion detection area with "circle mark" out of the motion detection areas shown in Fig. 3 shall be extracted as an area where an area making abnormal motion exists.

It is then judged at the foregoing step 3 whether or not the motion detection area where an object making abnormal motion exists is extracted (step 4). Specifically, it is judged whether or not any one of the motion detection areas is extracted as an area where an object making abnormal motion exists.

When it is judged that the motion detection area where an object making abnormal motion exists is extracted, the group forming section 24a groups the motion detection areas where an object making abnormal motion exists out of the motion detection areas where an object making abnormal motion exists which have been extracted at the step 3 such that the motion detection areas connected to each other

form one group (step 5).

As shown in Fig. 3, the motion detection areas extracted as the areas where an object making abnormal motion exists shall be grouped to form three groups h, i, and j.

The center-of-gravity detecting section 24b then extracts the group having the largest area out of the groups formed by the group forming section 24a (step 6). In the example shown in Fig. 3, the group h is extracted as the group having the largest area.

The center-of-gravity detecting section 24b calculates the center of gravity of the group having the largest area which has been extracted at the step 6 (step 7). In the example shown in Fig. 3, the center of gravity of the group h is found. Specifically, the coordinates (xg, yg) of the center of gravity of each of six areas belonging to the group h are found, to find the average \*xg of the X coordinates xg and the average \*yg of the Y coordinates yg of the respective centers of gravity of the found areas. The coordinates (\*xg, \*yg) are the center of gravity of the group h.

It is then judged whether an image currently displayed on the display device 3 is an image scaled

up by the scaling-up section 24c or is an image  $(non-enlarged\ image)$  stored in the memory 21 (step 8).

When the image displayed on the display device 3 is the image stored in the memory 21, the scaling-up section 24c scales up the image stored in the memory 21, centered on the center of gravity found by the center-of-gravity detecting section 24b (step 9). The magnification at this time may be previously determined to be ×2, for example, or may be changed depending on the size of the group to be scaled up. Data representing the image scaled up by the scaling-up section 24c is fed to the display device 3 through the output section 24f. Thereafter, the program is returned to the step 1. At the step 1, an image corresponding to the subsequent one field is then picked up.

When it is judged at the step 8 that the image currently displayed on the display device 3 is the image scaled up by the scaling-up section 24c, the center-of-gravity moving section 24d judges whether or not the center of gravity found at the step 7 is changed from the center of gravity found in the preceding field. If it is changed, a position at a destination of motion is found in accordance with

a predetermined rule, to move the position of the center of the image scaled up by the scaling-up section 24c to the position at the destination of motion (step 10). Thereafter, the program is returned to the step 1. At the step 1, an image corresponding to the subsequent one field is picked up.

The predetermined rule at the step 10 is such a rule that a relationship expressed by the following equation (1) holds, letting (X(n-1), Y(n-1)) be the center of gravity found in the preceding field, (X(n0), Y(n0)) be the center of gravity found in the current field, and (X(n), Y(n)) be the position at the destination of motion:

$$X(n) = X(n-1) + (X(n0) - X(n-1))k$$

$$Y(n) = Y(n-1) + (Y(n0) - Y(n-1))k$$
 ... (1)

k in the equation (1) is a follow-up coefficient.

When the center of the enlarged image is suddenly moved to the center of gravity calculated in the current field from the center of gravity calculated in the preceding field, the center of gravity is greatly changed. Accordingly, the displayed image is rapidly changed, so that the image is difficult to see. Therefore, follow-up

characteristics are purposely delayed using the above-mentioned rule.

When it is judged at the foregoing step 4 that an area where an object making abnormal motion exists is not extracted, it is judged whether or not the image currently displayed on the display device 3 is an image scaled up by the scaling-up section 24c or is an image (non-enlarged image) stored in the memory 21 (step 11).

When the image displayed on the display device 3 is the image stored in the memory 21, the program is returned to the step 1. At the step 1, an image corresponding to the succeeding field is picked up. When the image displayed on the display device 3 is the image scaled up by the scaling-up section 24c, it is judged that there is no object making abnormal motion, so that there is no reason for enlarging the image. Accordingly, the scaling-up processing is released by the scaling-up releasing section 24e (step 12). Data representing the image stored in the memory 21 is fed to the display device 3 through the output section 24f. Thereafter, the program is returned to the step 1. At the step 1, an image corresponding to the succeeding field is picked up.

The above-mentioned processing is repeatedly

performed. When an object (subject) making abnormal motion exists in an image, therefore, the image can be scaled up, centered on a part of the subject, and displayed.

In the above-mentioned embodiment, the motion detection means 22 detects a motion vector for each of motion detection areas, and the abnormality detecting means 23 judges whether or not there is a motion detection area where an object making abnormal motion exists on the basis of the motion vector for the motion detection area which has been detected by the motion detection means 22. present invention is not limited to the same. motion detection means 22 may detect the difference in luminance between the current field and a field which is an arbitrary number of fields ahead of the current field for each of motion detection areas, to judge whether or not there is a motion detection area where an object making abnormal motion exists on the basis of the difference in luminance for the motion detection area which has been detected by the motion detection means 22. For example, the motion detection area where the difference in luminance is not less than a predetermined value may be judged to be an area where an object making abnormal motion exists.

The present invention detects and follows a subject making abnormal motion. Although the present invention is particularly suitable for a monitoring camera system, therefore, it can be utilized for a home video camera or the like.

#### CLAIMS

1. A camera signal processor characterized by comprising:

motion detection means for dividing an image picked up by imaging means into a plurality of motion detection areas, and detecting the motion of the image for each of the motion detection areas;

extracting means for extracting, on the basis of the motion of the image for each of the motion detection areas which has been detected by the motion detection means, the motion detection area where an object making abnormal motion exists; and

image enlarging means for enlarging the image picked up by the imaging means, centered on the motion detection area where an object making abnormal motion exists which has been extracted by the extracting means and displaying the enlarged image on a display device.

2. The camera signal processor according to claim 1, characterized in that the extracting means extracts, out of the motion detection areas, the motion detection area where the motion of the image which has been detected by the motion detection means coincides with an abnormal motion pattern previously set as an area where an object making abnormal motion

exists.

3. The camera signal processor according to either one of claims 1 and 2, characterized in that the image enlarging means comprises

group forming means for grouping, out of the motion detection areas where an object making abnormal motion exists which have been extracted by the extracting means, the areas where an object making abnormal motion exists such that the areas connected to each other form one group,

center-of-gravity detecting means for extracting, out of groups formed by the group forming means, the group having the largest area, and finding the center of gravity of the extracted group, and

scaling-up means for scaling up the image picked up by the imaging means, centered on the center of gravity found by the center-of-gravity detecting means, and displaying the scaled-up image on a display device.

4. A camera signal processing method characterized by comprising:

the first step of dividing an image picked up by imaging means into a plurality of motion detection areas, and detecting the motion of the image for each of the motion detection areas;

the second step of extracting, on the basis of the motion of the image for each of the motion detection areas which has been detected at the first step, the motion detection area where an object making abnormal motion exists; and

the third step of enlarging the image picked up by the imaging means, centered on the motion detection area where an object making abnormal motion exists which has been extracted at the second step and displaying the enlarged image on a display device.

- 5. The camera signal processing method according to claim 4, characterized in that the second step comprises the step of extracting, out of the motion detection areas, the motion detection area where the motion of the image which has been detected at the first step coincides with an abnormal motion pattern previously set as an area where an object making abnormal motion exists.
- 6. The camera signal processing method according to either one of claims 4 and 5, characterized in that the third step comprises

the fourth step of grouping, out of the motion detection areas where an object making abnormal motion exists which have been extracted at the second

step, the areas where an object making abnormal motion exists such that the areas connected to each other form one group,


the fifth step of extracting, out of groups formed at the fourth step, the group having the largest area, and finding the center of gravity of the extracted group, and

the sixth step of scaling up the image picked up by the imaging means, centered on the center of gravity found at the fifth step, and displaying the scaled-up image on a display device.

#### ABSTRACT

A camera signal processor comprises motion detection means for dividing an image picked up by imaging means into a plurality of motion detection areas, and detecting the motion of the image for each of the motion detection areas, extracting means for extracting, on the basis of the motion of the image for each of the motion detection areas which has been detected by the motion detection means, the motion detection area where an object making abnormal motion exists, and image enlarging means for enlarging the image picked up by the imaging means, centered on the motion detection area where an object making abnormal motion exists which has been extracted by the extracting means and displaying the enlarged image on a display device.

FIG. 1



şį į. ļ. £

FIG. 2

The state of the s





FIG. 3



### **Declaration For U.S. Patent Application**

My reside	ence nost off	entor, I hereby declare that: ice address and citizenship are a	is stated below my	name.			
nomec ore	listed below	inal, first and sole inventor (if o	claimed and for w	hich a patent is sou	ght on the invention <b>e</b>	ntitled	
(Insert Tit	tle) <u>CAM</u>	ERA SIGNAL PROCESSO	R AND CAMERA	A SIGNAL PRO	CESSING METHO	D	
the specifi	ication of wh	nich is attached hereto unless the	following box is o	:hecked:			
rer	was filed on	07 March 2000		as Pi	CT International Appl	ication	
(2)	Number	07 March 2000- PCT/JP00/01365	and was	s amended on			
and/or	was filed on	101/0100/01303		as U	nited States Application	on	
	Number		and was	s amended on		· · · · · · · · · · · · · · · · · · ·	
by any and I acknowld I hereby contificate below and	nendment refledge the dut claim foreign e, or §365(a) I have also ide ate before the	re reviewed and understand the conferred to above.  You to disclose information which priority benefits under 35 U.S. of any PCT International application and the application of the application of the application of the application (s) for which	is material to pate C. §119(a)-(d) or § ation which design ation for patent or in priority is claime	ntability as defined 365(b) of any foreig ated at least one con nventor's certificate d:	in 37 C.F.R. §1.56. gn application(s) for p untry other than the U or PCT International	atent or inventor's nited States, listed Application having Priority Claimed	
(List p	vior	11-061424 // (Number)	Japan	09 1	March 1999 /	🖫 Yes 🗆 No	
foreign	12	(Number)	(Country)	(Day/Monti	h/Year Filed)	☐ Yes ☐ No	
applica See no on bac		(Number)	(Country)	(Day/Mont	h/Year Filed)	☐ Yes ☐ No	
this pa		(Number)	(Country)	(Day/Mont	h/Year Filed)		
I hereby	claim the ber	nefit under 35 U.S.C. §119(e) o			ation(s) listed below.		
		(Application Number)	(Fili	ng Date)			
		(Application Number)	<del>(Fili</del>	ng Date)			
(See N	Note B on back	☐ See attached list		or foreign or provis	sional applications.		
designation disclosed the duty to filing date	ng the United I in the prior to disclose in te of the prio	efit under 35 U.S.C. §120 of any is states of America listed below application(s) (U.S. or PCT) in formation which is material to per application and the national or	and, insofar as the the manner provide atentability as defi	subject matter of ead and by the first paraged and in 37 C.F.R. §1	raph of 35, U.S.C. §1 1.56 which became av	is application is not 112, I acknowledge	
(List prior Application PCT Intern	ns or national	(Application Serial No.)	(Filing Da	ite)	(Status) (patented, pe	nding, abandoned)	
application designating	ns g the U.S.)	(Application Serial No.)	(Filing Da	ite)	(Status) (patented, pe	nding, abandoned)	
George I	E. Oram, Jr. h, Reg. No.	t as principal attorneys: David ., Reg. No. 27,931; Robert B. 33,125; Monica Chin Kitts, nes A. Poulos, III, Reg. No. 31, o. 44,275; Bradley D. Goldizen	Murray, Reg. No. Reg. No. 36,105; 714; Patrick D. M	. 22,980; E. Marc Richard J. Berm uir, Reg. No. 37,40	ie Emas, R <u>eg. No. 3</u> an, <u>Reg. No. 39,10</u> 33; Sharon N. Klesner	2,131; Douglas H. 7; King L. Wong, 7; Reg. No. 36,335;	
Please di	irect all com	munications to the following add	1050 Con Washingto	necticut Avenue, N on, D.C. 20036-533			
are belie	eved to be tru e nunishable	all statements made herein of my he; and further, that these statem by fine or imprisonment, or both jeopardize the validity of the ap	own knowledge a ents were made wi 1, under Section 10	re true and that all s th the knowledge th 01 of Title 18 of the	statements made on inf nat willful false staten e United States Code a	formation and belief nents and the like so	
(See Note	c/-M	Full name of sole or first inventor Yukio MORI					
on back of this page)		Inventor's signature	Julio Mo	eV			
baga)		Residence Hirakat	, a-shi, Osak	a, Japan	FPX 0	Set 18 Date 000	
		Citizenship <u>Japanes</u>					
		Post Office Address C/O	Sanyo Electr	ric Co., Ltd	•	0002 Tames	
		5-5. Keihanhondori	2-chome. M	oriauchi-shi	, Osaka 570-0	083, Japan	

Eall name of second joint inventor, if anySeiji OKADA	
Inventor's signature Seif Okade.	18 Oct 20
Residence Moriguchi-shi, Osaka, Japan FPX	Date
Citizenship Japanese	
Post Office Address C/O Sanvo Electric Co., Ltd.,	
5-5, Keihanhondori 2-chome, Moriguch	i-shi, Osaka 570-0083, Jap
Edll name of third joint inventor, if any Shoichi HASEGAWA	
Inventor's signature Shotchi Kanesanna	18 Oct 20
Residence Osaka-shi, Osaka, Japan	
Townson	
Programme C/o Sanyo Electric Co., Ltd.,	
5-5, Keihanhondori 2-chome, Moriguch	i-shi, Osaka 570-0083, Jap
Full name of fourth joint inventor, if any	
Inventor's signature	
Residence	Date
Citizenship	
Post Office Address	
1 Ost Office Address	
Full name of fifth joint inventor, if any	
Inventor's signature	
Residence	Date
Citizenship	
Post Office Address	
Full name of sixth joint inventor, if any	
Inventor's signature	
Residence	Date
Citizenship	
Post Office Address	
rost Office Address	
Full name of seventh joint inventor, if any	
Inventor's signature	
	Date
Residence	
Citizenship	
Post Office Address	
Full name of eighth joint inventor, if any	•
Inventor's signature	
	Date
Residence	
Citizenship	
Post Office Address	
Full name of night injurantar if any	
Full name of ninth joint inventor, if any	
Inventor's signature	Date
Residence	